

INDEX MAPS.

T.37N, R.5E. 2nd Mer.

	328	328	327	326	325	325						
331	6	356	5	350	4	345	3	341	2	336	1	324
	355	355	349	345	341	336						
331	7	355	8	349	9	344	10	340	11	335	12	324
	354	354	348	344	340	335						
330	18	353	17	348	16	343	15	339	14	335	13	323
	353	353	348	343	339	335						
330	19	352	20	347	21	343	22	338	23	334	24	323
	352	352	347	342	338	333						
329	30	351	29	347	28	342	27	337	26	333	25	323
	351	351	346	342	337	332						
329	31	350	32	346	33	341	34	337	35	332	36	322
	320	320-321	319-321	319-321	319-321	319-321						

T.38N, R.5E. 2nd Mer.

	6	5	4	3	2	1
	N. Boundary of Indiana					
376	7	8	9	10	11	12
	395	390	387	383	380	374
	394	394	389	386	383	379
376	18	17	16	15	14	13
	393	389	386	383	379	374
	393	392	389	386	382	379
375	19	20	21	22	23	24
	392	388	385	382	378	374
	392	391	388	385	381	378
375	30	29	28	27	26	25
	391	388	384	381	377	373
	391	390	387	384	381	377
375	31	32	33	34	35	36
	390	387	384	380	377	373
	372	371	371	370	369	369

The figures on the lines refer to the page.

Township N 37. North of Range N 5 East of the 2nd Mer. Indiana. 319

South Boundary

West On Random on South Boundary of Sec 35. Var. 5.55 c.
 46.00 Set a Temp^l q^d Sec post.
 77.50 Buttonwood Swamp.
 80.00 Set a Temp^l Post. Corner of Sec^s 35 & 36.
 Land level met & 3^d & 2nd rate. Timber. Beech.
 Ash. Elm. Poplar. Ironwood. &c. Undergth. Spice
 " Water Beech. Ironwood. Willow &c.

West On Random on South Boundary of Sec 35.
 11.50 Left Buttonwood Swamp.
 22.00 Enter Rough Willow Swamp.
 25.25 A Stream 10 links wide. Course North
 26.00 Rough met Swamp. or Prairie
 38.80 Enter Timbered Land.
 40.00 Set a Temp^l q^d Sec post.
 80.00 Set a " Post Post. Corner of Sec^s 34 & 35.
 Land level part Rolling. 2nd & 3^d rate. Timber.
 Beech. Poplar. Elm. Ash. &c. Undergth. Spice.
 Ironwood. Elm. Ash. Beech. &c.

West On Random on South Boundary of Sec. 34.
 12.00 Enter Swamp.
 15.00 Left same.
 40.00 Set a Temp^l q^d Sec Post.
 43.75 A Stream 25 links wide. Course N. W.
 47.50 " Do. 15 " " " N. E.
 80.00 Set a Temp^l Post. Corner of Sec^s 33 & 34.
 Land part level. & part Rolling 2nd rate. Timber
 Oak. Ash. Beech. Poplar Sugar. &c. Undergth.
 Spice Ash Ironwood Water Beech Sugar. &c

West On Random on South Boundary of Sec 33.
 16.50 Enter Tamarac Swamp. mostly South.
 24.00 Left same.
 31.00 Enter great Swamp.

T37 N. R 5 E 2nd Mer. Indiana

40.00 Set a Temp^s of Sec post
 40.75 A Brook 6 links wide. Course SE.
 59.00 Left Tamarac Swamp.
 70.00 Enter Main Swamp mostly N.W.
 80.00 Set a Temp^s Post. Corner of Sec^s 32 & 33.
 Land level met & 3rd rate. Most excellent for a
 Bear harbor Timber. Tamarac. Lycamore
 Elm Oak. Undergth Willow. Alder. Ironwood.
 Rose briars. &c.

West On Random On South Boundary of Sec 32.
 40.00 Set a Temp^s of Sec post.
 45.00 Left the Great Swamp.
 80.00 Set a Temp^s Post. Cor. of Sec^s 31 & 32,
 First 1/2 mile. Land level met & 3rd rate. 2nd & 3rd
 rate. Timber. Oak. Ash Tamarac. Poplar. Alder
 Elm Willow. Spice. Undergth Jam^s Alder.
 Willow. Spice Ash. &c. July 15th 1829.

West On Random On South Boundary of Sec 31.
 40.00 Set a Temp^s of Sec post.
 76.17 Intersect the West Boundary 158 links South of
 Town Corner.
 Land level. 1st met 2nd & 3rd rate. Timber. Elm,
 Ash. Oak. Hickory. Sugar. &c. Undergth Spice. "
 " Lync. Ironwood. &c.

East Connected On South Boundary of Sec 31. Var. 4.55°
 17.83 An Ironwood 10 ins. diam.
 36.17 Set a gr. Sec post on true line. from which
 a Burr Oak 16 ins. diam. bears N 43 W 47 lks dis &
 a W. Elm 10 " " N 32 E 39 " "
 50.63 A Lycamore 18 " "
 76.17 Set a Post Corner to Sec^s 31 & 32 from which
 a Buck 16 ins. diam. bears N 8 E 39 links dis &
 a Sp^s Oak 3 " " N 19 W 9 " "

T 37 N. R 5 E 2nd Mer. Indiana

321

East Connected On South Boundary of Sec 32.
 20 25 A G. Ash 10 in. diam.
 10 00 Set a 4th Sec. post. from which
 a G. Ash 14 in. diam. bears N 40 E 14 links dist, &
 Water Buck 4 in. " " N. 67 W. 11 " "
 60 40 A Tamarac 6 " "
 80 00 Set a Post Corner to Sec. 32 & 33. from which
 a Tamarac 12 in. diam. bears N. 20 W. 5 links dist, &
 a Dr 6 " " " N. 3. E. 3 " "

East Connected On South Boundary of Sec 33.
 40 00 Set a Post Corner to Sec. 33 from which
 a Millen 8 in. diam. bears N. 7 E. 26 links dist, &
 a Dr 6 " " " N 29 W 20 " "
 50 00 Set a Post Corner to Sec. 33 & 34 from which
 a Buck 4 in. diam. bears N 59 W. 32 links dist, &
 an Iron nail 4 in. " " N. 60 E 13 " "

East On True line South Boundary of Sec. 34.
 23 02 An Iron nail 10 in. diam.
 10 00 Set a 4th Sec. post. from which
 a Buck 16 in. diam. bears N. 21 E. 14 links dist, &
 a Dr 14 " " " N 60 W. 29 " "
 12 00 A G Ash 14 " "
 80 00 Set a Post Corner to Sec. 34 & 35. from which
 a G. Ash 4 in. diam. bears N. 55 W. 21 links dist, &
 Dr 10 " " " N. 36 E. 14 " "

East Connected On South Boundary of Sec 35.
 20 69 A Lynn 14 in. diam.
 40 00 Set a 4th Sec. post. from which
 a W. Oak 10 in. diam. bears N 55 E. 23 links dist, &
 a Dr 10 " " " N. 18 W 42 " "
 64 29 A Buck 6 " "
 80 00 Set a Post Corner to Sec. 35 & 36. from which
 a Gum 28 in. diam. bears N 52 E 172 links dist

T 37 N. R 5 E 2nd Mer. Indiana

This Post stands in deep Swamp.
No other tree near.

East Corrected On South Boundary of the S.B.
21.65 A Buck 16 in. diam.
40.00 Let a go the post from which
a B. Ash 14 in. diam. bears N 30 W 27 links dist &
a Cherry 5 " " " N 32 E 25 " "
54.90 A Buck 18 " "
85.00 Town Corner. July 17th 1829.
Thos. Brown, D.S.

East Boundary
North On East Boundary of the S.B. Var 5 15 E
22.78 A Poplar 18 in. diam.
25.01 A Small Lake. Offset West 200.
31.00 Offset Paid.
40.00 Let a go the post from which
a Lynn 5 in. diam. bears N 42 W 7 links dist &
a Spruce 6 in. " " S 52 W 20 " "
60.52 Let a Post on the Left Bank of Elk hart River
at Meandering Point. from which
a W. Elm 16 in. diam. bears N 25 E 20 links dist
No other tree near. Course of River S W.
70.87 Let a Post on the Right Bank of Elk hart River
from which
a Lynn 16 in. diam. bears South 18 links dist &
a W. Oak 14 " " " S 73 E 5 " "
73.43 A W. Oak 24 " "
80.00 Let a Post Corner to Sec. 25 & 30. from which
a Hickory 4 in. diam. bears N 17 W 82 links dist &
a W. Oak 26 " " " S 34 W 177 " "
Land, part Rolling & 2nd rate. Timber. Oak.
Buck. Ash. Lynn. Elm. Cherry. Hickory. &c.
Undergrowth. Spice. Cherry. Ash. Sassafras. Horse
Willow &c.

North On East Boundary of Sec 25.

22.18 A Buck 16 in. diam.

40.00 Set a go the spot from which a
Red Oak 46 in. diam. bears N. 10 W 6 links dist. &
a Buck 20 " " " S. 16 W 5 " "

42.10 A Brook 6 links wide. Course West. Dry.

43.50 Do 4 " " " S. W. "

49.49 A W. Oak 14 in. diam.

80.00 Set a Post Corner to Secs 24 & 25 from which
a Red Oak 16 in. diam. bears S. 67 W 67 links dist. &
a W. Oak 10 " " " N. 31 W 54 " "

Land level & 2nd rate timber. White Red & Burr
Oak, Buck, Hickory, &c. Undergrowth. Huckle. Sycam.
Sumack. Briars &c.

North On East Boundary of Sec 24.

3.75 A Brook 10 links wide. Course S. W. Dead.

15.00 Cut West Bend of the same Branch

18.21 A W. Oak 16 in. diam.

40.00 Set a go the spot from which

a W. Oak 24 in. diam. bears S. 55 W 17 lks. dist. &

a W. Oak 24 " " " N. 78 W 61 " "

65.20 A Do 22 " "

80.00 Set a Post Corner to Secs 13 & 24 from which

a W. Oak 20 in. diam. bears S. 28 W 190 links dist. &

a Do 20 " " " N. 8 W 39 " "

Land level & inferior 2nd rate. mostly Barrens
Timber. White. Red & Burr Oak. Hickory &c.

Undergrowth Oak & Hickory.

North On East Boundary of Sec 16.

25.00 Enter small wet Prairie

27.50 Left same. mostly mts

40.00 Set a go the spot from which

a W. Oak 22 in. diam. bears S. 32 W 59 links dist. &

a Blk Oak 20 " " " N. 9 W 60 " "

T37 N. R. 5 E 2nd Mer. Indiana.

51.75 A Black Oak 20 in. diam.
 80.00 Set a Post Corner to Sec. 12 H3 from which
 a W. Oak 26 in. diam. bears S 54° W 86 links dist. &
 a Do 24 " " " N. 58° W. 152 " "
 Land 2nd rate Barrens. Timber. W. Oak. Black Oak.
 Hickory &c. Undergth Oak. Sassafras &c

North On East Boundary of Sec 12.
 4.00 Enter Wet Prairie
 11.00 Left Same
 26.28 A W. Oak 28 in. diam.
 40.00 Set a q. Sec spot. from which a
 Black Oak 24 in. diam. bears N 53° W. 62 links dist. & a
 Hickory 3 " " " S 76° W. 38 " "
 59.38 A W. Oak 10 " "
 60.00 Enter Wet Prairie mostly West & N. W
 80.00 Set a Post-Corner to Sec. 1 H2 in Prairie from which
 a W. Oak 30 in. diam. bears S 82° W. 397 links dist. &
 a Do. 36 " " " N. 84° W. 387 " "
 Land level. 2nd & 3rd rate Timber. W. Oak. Red Oak.
 Black Oak Hickory &c. Undergth Oak Hickory &c
 Sassafras

North On East Boundary of Sec 1.
 12.00 Scattering Timber
 17.31 A Red Oak 18 in. diam.
 21.00 Enter large Wet Prairie mostly N. E.
 40.00 Set a q. Sec spot in Wet Prairie in a mound in
 46.50 A Stream 15 links wide. Co. N. W. 67.00 Left Wet Prairie.
 67.45 A Red Oak 24 in. diam.
 77.60 Intersect the Town line 6.66 East of Temp^o Post.
 Set a Post Corner. Cor. to Towns 37 & 38 North Range
 5 & 6 also Corner to Sec. 1. 6. 31 & 36. from which
 a Brown Oak 22 in. diam. bears N. 42° E 38 links dist. &
 Do " 16 " " " S. 60° W. 35 " "
 Land level & 2nd rate mostly Prairie. Timber

Red. Black. & White Oak. Hickory &c. Underg.
Hickory. Hazel. Rose Brives. &c. Aug. 3^d 1829.

North Boundary var. 500' E

West On South Boundary of the 35 & 38 N. R. 5 E
 22 24 A W. Oak 18 in. diam.
 40.00 Set a 90th Sec post from which
 Black Oak 20 in. diam. bears N. 64 W 15 links dist, &
 " Do 8 " " " N. 49 E 12 " "
 42.00 A Slightly running Stream 15 links wide Course
 N. N. E Pine Creek.
 58.11 A W. Oak 18 in. diam.
 80.00 Set a Post Corner to Sec. 35 & 36 from which
 a W. Oak 18 in. diam. bears N 55 E 84 links dist, &
 a Black Oak 18 in. " " N. 28 E 111 " "
 Land level & 2nd rate. Timber. White. Black &
 Red Oak. Hickory &c. Undergth Oak. Hickory
 Sapfras. &c.

West On South Boundary of the 35 & 38 N. R. 5 E.
 13.64 Set a Post on the Left Bank of St. Josephs River
 from which a
 W. Oak 14 in. diam. bears S 63 E 195 links dist, &
 a Do. 18 " " " N. 83 E. 432 " "
 Course of the River. N. & W.
 21.00 Cut the North Point of an Island.
 34.20 Set a Post on the Right Bank of St. Josephs River
 from which a
 Black Oak 13 in. diam. bears N 45 E 10 links dist, &
 a Do. Forked 18 " " " S 15 E 3 " "
 40.00 Set a 90th Sec post from which
 a Black Oak 20 in. diam. bears N. 14 E 25 links dist, &
 a Spanish Oak 16 " " " N. 83 W. 54 " "
 44.38 A B. Walnut 16 in. diam.
 52.13 Set a Post on the Right Bank of the St. Josephs
 River. from which

T37 N. R. 5 E 2nd Mer. Indiana.

- a Lynn 6 in. diam. bears N. 19 W. 8 links dist &
 a Hickory 8 " " " N. 25 E. 19 " "
- Course of the River. N. N. W.
- 63.30 Set a Post on the Left Bank of St. Josephs River
 from which a
 Lynn 14 in. diam. bears S. 31 W. 52 links dist & a
 Hickory 18 " " " S. 36 E. 86 " "
- 69.73 A W. Oak 16 in. diam.
 80.00 Set a Post Corner to Sec. 34 & 35. from which
 a Black Oak 22 in. diam. bears N. 54 W. 35 links dist &
 a W. Oak 20 " " " N. 70 E. 102 " "
- Land mostly level & unimproved. Timber. White. Red
 & Black Oak. Hickory Walnut &c. Undergrowth Oak.
 Hickory & Maple.
-
- West On South Boundary of Sec. 34. T38 N. R. 5 E.
 8.05 Set a Post on the Left Bank of St. Josephs River
 from which a
 Black Oak 24 in. diam. bears S. 45 E. 298 links dist &
 " Do 16 " " " S. 17 1/2 E. 294 " "
- Course of River. N. S. W.
- 12.72 Set a Post on the Right Bank of St. Josephs River
 from which a
 Maple 16 in. diam. bears N. 41 1/2 E. 94 links dist & a
 W. Oak 24 " " " N. 68 W. 144 " "
- 18.68 A Do 28 " "
- 23.14 Set a Post on the Right Bank of St. Josephs River
 from which a
 Blk. Oak 14 in. diam. bears S. 73 E. 25 links dist &
 Do 14 " " " N. 72 E. 31 " "
- Course of the River. N. N. W.
- 30.09 Set a Post on the Left Bank of St. Josephs River
 from which
 a Hickory 6 in. diam. bears S. 6 E. 1.28 links dist &
 a Do 18. " " " S. 17 W. 130 " "
- 40.00 Set a 2d Sec. post from which

Vol. N. B. 5 C. 2^{na} Mer Indiana. 327

- a W. Oak 26 in. diam. bears S 58 E 51 links dist, &
a Bk Oak 24 " " " West 2. 30 " "
A Large Prairie bearing S. & S W.
58 57 A Hickory 20 in. diam.
80. 00 Set a Post Corner to Sec. 33 & 34 from which a
W. Oak 28 in. diam. bears N. 48 W. 128 links dist, & a
Do 10 " " " N 19 E. 244 " "
Land part level. & part rolling or broken & in
Timber. White. Red. & Black Oak, very scrubby
and scarce. Under a Horse. Oak. Hickory &c.
August 5th 1824.

- Nov 6 On South Boundary of Dec 33 S 38 N R 3 E.
 15. 00 Enter Wet Prairie
 25. 00 Left the same.
 25. 65 Set a Post in the S.E. Bank of St Josephs River
 from which an
 Elm 18 ins diam. bears S. 48 E 9 links dist & a
 Maple 10 " " " S. 1 E 13 " "
 Course of the River S W
 30 00 Set a Post on the Bank of the St Josephs River
 from which a
 Forked Sycamore 34 ins diam. bears N 59 E 30 links dist
 No other tree near. Enter Wet Prairie.
 30 50 A Spring Brook 3 links wide, Course South.
 33 50 Left Wet Prairie
 40. 00 Set a post Sec. corner from which
 a W. Oak 18 ins diam. bears N. 28 W 27 links dist, &
 a Blk Oak 22 " " " N. 28 E. 102 " "
 04. 68 A W. Oak 14 " "
 72 50 A Brook 4 links wide. Course South Dry.
 80. 50 Set a Post Corner to Dec. 32 & 33 from which
 a Black Oak 16 ins diam. bears N 39 E 87 links dist, &
 a W. Oak 14 " " " N. 51 W. 34 " "
 Land part Sec'd & part Rolling & cr. note. Timber
 White Red. & Black Oak. Hickory. Elm. & Sycamore.

T. 37. N. R. 5. E 2nd Mer. Indiana.Undergroth. Oak. Hickory & Willow.

- Note On South Boundary of Sec 32 T. 38 N. R. 5 E
 10.00 Cut the North Bend of a beautiful stream, 50 lbs
 wide, said to be called Christian Creek.
 13.50 Same stream. Course E. S. E.
 18.50 Left same. from N. N. W.
 21.25 Same stream. Course E. N. E.
 22.34 A Sycamore 10 in. diam.
 24.00 Enter the same stream. Course E. S. E.
 27.00 Left Do from N. N. W.
 30.00 Cut South Bend of same stream.
 39.94 Same stream. Course E. N. E.
 46.00 Set a post in creek from which
 a W. Oak 18 in. diam. bears N. 66 E 41 links dist. &
 a Spanish Oak 6 in. " " S. 60 E 14 " "
 42.25 Left same stream
 43.75 Enter " " Course E. N. E.
 45.75 Left " " from N. N. W.
 47.80 Same stream Course S. E.
 52.50 Same " " E. N. E.
 56.80 Same " " S. E.
 59.50 A Black Oak 22 in. diam.
 61.00 Same stream. Course N. E.
 65.50 Same " " S. E.
 This Creek from the last crossing, is supposed to
 have 18 or 20 feet fall of water to the mouth, and
 by a short cut to the St. Josephs River, would make
 a most valuable mill seat.
 68.00 Set a Post Corner to Sec. 31 & 32. from which
 a W. Oak 15 in. diam. bears N. 28 E. 123 lbs dist. and
 a Blk. Oak 24 " " " N. 68 W. 53 " "
 Land here and 2nd rate. Timber. White. Red &
 Black Oak. &c. Undergroth. Oak. Willow. Hazle &c.

Note On South Boundary of Sec 31 T. 38 N. R. 5 E.
 Comp.

329

T 37. N. R 5 E 2nd Mer. Indiana

- 40.00 Set a 9th Sec post from which
a Burr Oak 5 in. diam. bears N. 11th E. 1.37 links dist. &
a Spanish Oak 14 " " " N. 40th W. 1.10 " "
- 47.58 A Burr Oak 22 in. diam.
- 53.23 A W. Oak 26' " "
- 50.00 Set a Temp^l & 2nd Corner Post.
Land level. 2nd & 3rd rate. Timber. White. Red
and Black Oak. Hickory &c. Undergth Oak, Hickory.
Sapugas. &c. August 6th 1829.

- West Boundary var. 5.15 6 .
- North On East Boundary of Sec 36 T 37. N. R 4 E.
- 13 75 A Brook 4 links wide. Course West
- 18 90 A Sugar 14 in. diam.
- 34 75 A Dead running Stream 12 links wide. Course W
- 40 00 Set a 9th Sec post from which
a Buck 10 in. diam. bears N. 30th E. 7 links dist. &
a Sugar 14 " " " S. 40th W. 12 " "
- 59 54 An Ironwood 5 in. diam.
- 60.00 A Brook 5 links wide. Course S W.
- 80.00 Set a Post Corner to Sec. 25 & 36 from which
an Ironwood 15 in. diam. bears N. 43th W. 14 links dist. &
a Sugar tree 4 " " " S. 45th W. 33 " "
Land 2nd rate. Timber. Buck. Sugar. Ash. Elm.
Poplar. Hickory. Ironwood. &c. Undergth Spice,
Ash. Sugar. Buck. Hickory. Water Buck. &c.

- North On East Boundary of Sec 25. T 37. N. R 4 E.
3. 90 A Brook 8 links wide. Course S. W.
6. 00 Same Brook " S E.
- 7 00 Same " " S W.
15. 00 Cut the West end of the same.
21. 25 A Poplar 10 in. diam.
40. 00 Set a 9th Sec post from which
a Buck 24 in. diam. bears S. 43th W. 8 links dist. &
an Ironwood 5 " " " N. 39th W. 22 " "

T37. N. R 5 E 2nd Mer. Indiana.

65.01 A Buck 22 in. diam. bears
 87.00 Set a Post Corner to Sec. 24 & 25 from which a
 Y. Ash 14 in. diam. bears S 22 W 40 links dis &
 a W. Oak 32 " " " N 52 W 29 " "
 Land rich 2nd rate. Timber. Buck. Oak. Replar.
 Sugar. Lymn. &c. Undergth Spice. Ash. Hickory.
 Ironwood. Dogwood. &c

North On East Boundary of Sec 24 T 37 N R 4 E,
 25.60 A W. Oak 20 in. diam.
 40.00 Set a post the spot from which
 a Red Oak 18 in. diam. bears S 38 W 57 links dis &
 a W. Oak 18 " " " N 10 W 37 " "
 62.43 A Blk Oak 20 " "
 80.00 Set a Post Corner to Sec. 13 & 14 from which
 a Hickory 14 in. diam. bears S 20 W 50 links dis &
 a W Oak 22 " " " N. 58 W 53 " "
 Land. 1st 1/2 mile rolling & rich 2nd rate 2nd 1/2
 mile level & inferior 2nd rate. Timber. Oak
 Buck Replar. Hickory &c. Undergth Hickory.
 Oak Hazele. &c.

North On East Boundary of Sec 13 T 37 N. R 4 E.
 33.14 A W. Oak 28 in. diam.
 40.00 Set a post the spot from which
 a Blk. Oak 14 in. diam. bears S 34 W 25 links dis &
 a W. Oak 18 " " " N 58 W 6 " "
 64.50 A W. Oak 26 " "
 80.00 Set a Post Corner to Sec. 13 & 12. from which
 a Hickory 14 in. diam. bears S 20 W 49 links dis &
 a W. Oak 28 " " " N. 57 W 42 " "
 First 1/2 mile rolling rich 2nd rate. 2nd 1/2 mile
 level 3rd rate. Land mostly Barrens
 Timber. Black. Red. & White Oak. Hickory &c
 Undergth. Oak. Hickory &c.

T 37 N. R 5 E. 2nd Mer. Indiana.

331

- North. On East Boundary of Sec. 12 T 37 N. R 4 E.
 28.90 A W Oak 16 ins. diam.
 40.00 Set a go the spot from which
 a Hickory 18 ins. diam. bears N 27 1/2 W 29 1/2 lbs dist,
 & no other tree near
 47.00 Enter Rough wet Prairie E & W.
 57.00 Left same.
 61.25 A Forked Hickory 14 ins. diam.
 65.62 Set a Post on the **Left** Bank of the St. Joseph's
 River, from which
 a Burr Oak 6 ins. diam. bears N. 79 E. 76 lbs. dist, &
 a Sapasus 4 " " " S. 32 W. 90 " "
 69.88 Set a Post on the **Right** Bank of the St. Joseph's
 River. from which
 a W. Oak 10 ins. diam. bears S. 41 W. 10 lbs. dist, &
 a W. Oak 18 " " " S. 76 E. 26 " "
 80.00 Set a Post Corner to Sec. 1 & 12 from which
 a W. Oak 21 ins. diam. bears S 22 1/2 W 14 lbs. dist, &
 a Do 26 " " " N 45 W. 1.15 " "
 Land part level & part rolling. 2nd & 3rd rate.
 Timber. White Red & Black Oak, Hickory &c.
 Undergrowth. Oak. Hickory & Sapasus

- North On East Boundary of Sec. 1 T 37 N R 4 E.
 20.50 A W Oak 16 ins. diam.
 40.00 Set a go the spot from which
 a W. Oak 28 ins. diam. bears N. 14 W 32 links dist, &
 a Do 30 " " " S. 57 W. 1.15 " "
 59.44 A Maple 22 " "
 74.55 Intersect North Boundary 568 links East of
 Jamps Town Corner. Where set a Post Corner
 to Towns 37 & 38 North of Ranges 4 & 5 East.
 also Corner to Sec. 1. 6. 31 & 36 from which
 a W. Oak 20 ins. diam. bears S. 67 1/2 E 29 links dist,
 & a W. Oak 18 " " " N. 53 E 62 " " &
 a Do 22 " " " N. 13 W 1.22 " "

T^o 7th N. P. 5. E. 2nd Mer. Indiana.

Land level. 2nd & 3rd rate. Timber W. Oak.
Red Oak. Blk Oak Hickory Maple &c.

Undergth Oak. Sassafras &c.
August 7th 1829.

Surveyed by
Thomas Brown, D. C.

Comp

Subdivisions.

- North Between Secs. 35 & 36.
3.00 Leave the Swamp.
20.32 A Buck 12 in. diam.
40.00 Set a p. Sec post from which
an Ash 5 in. diam. bears S 40 W 17 links dis &
a D 12 " " " N 39 E 10 " "
60.00 Leave thick woods
71.75 A W Oak 12 in. diam.
80.00 Set a Post Corner to Secs. 25 26 35 & 36 from which
a W. Oak 12 in. diam. bears S 42 W 58 links dis &
a D 13 " " " N. 41 E. 78 " "
Land level & 2nd rate. Timber. W. & B Oak.
Undergth similar. Jan 3 25th 1830.

- East On Runway between Secs. 25 & 36.
40.00 Set a Temp^t of Sec post
58.00 Enter River Bottoms.
65.50 Set a Temp^t post on the W. side of River
68.00 Set " " " " " E " " "
79.80 Intersect E. Boundary 27 links North of the Post.
Land & Timber similar.

- West Connected between Secs. 25 & 36.
11.80 Set a post on the East Bank of River from
which a Willow 5 in. diam. bears N 68 W 27 links dis &
a D 8 " " " S 7 W 31 " "
14.30 Set a post on the Bank of River from which
an Ash 6 in. diam. bears N 16 E 6 links dis &
a D 5 " " " S 4 W 23 " "

39.90 Set a go the post at aعر. dist. from which
a W. Oak 8 in. diam. bears S 77 E. 10 links dist. &
a Do 7 " " " N 78 W 9 " "
79.80 To the corner.

North Between Secs. 25 & 26.

28.00 Road from St. Wayne to
On the South side of the St. Josephs River.

30.60 A W. Oak 10 in. diam.

40.00 Set a go the post from which
a W. Oak 12 in. diam. bears S 58 W. 30 links dist. &
a Do 13 " " " N 77 E 7 " "

55.68 A W. Oak 5 " " fact. Corner on the South
bank of River.

65.00 A Lynn 5 in. diam. Same side.

77.00 Set a fact. Post on the South side of River
from which a
Locust 12 in. diam. bears S 22 E. 20 links dist. &
Burr Oak 8 " " " N 2 E. 19 " "

78.00 To Island in River.

80.00 Set a Post Corner to Secs. 23, 24, 25 & 26. from which
an Elm 6 in. diam. bears S 44 E. 12 links dist. &
a Sycamore 10 in. " " N 24 W. 21 " "
This post is on Island. at the waters edge on the
North side of Do.

Land Rolling & 2nd rate. Timber Oak &c.
Undergrowth. Grubs. Graps & Weeds.

East On Kanawha between Secs. 24 & 25.

3.00 Leave Island.

4.28 Set a guide on the S.E. Bank of River.

10.80 Set " " " N " " "

13.10 Set " " " E " " "

15.00 Enter Marsh.

28.00 A Spring Course N.W.

29.00 Leave same marsh

T. 37 N. R. 5. E. 2nd Mer. Indiana

- 30.00 Road Course N W. & S E.
 40.00 Set a Temp^l q^r Sec spot
 78.00 A Brook 5 links wide. Course S W
 79.75 Indusct N & S line on E Boundary 30 lks N of Post.
 Land &c similar.

- West Connected between Secs 24 & 25.
 39.87 1/2 Set a q^r Sec spot at aver. dist from which
 a B. Oak 12 in^l diam. bears S 63 W. 37 lks dist &
 a W. Oak 18 " " " S. 65 E. 71 " "
 60.59 Set a Fract. Post on Bank of River, from
 which an Elm 14 in^l diam. bears S 12 1/2 W. 18 lks. dist &
 a Linn 20 " " " N. 32 E. 78 " "
 68.95 Set a Fract. Post on the W. Bank of River, from
 which an Elm 6 in^l diam. bears North 5 links dist &
 a Red Oak 9 " " " S 22 E 33 " "
 75.47 A W Oak 18 " " for fract. Corner on the East
 side of the River.
 79.75 To the Corner.

- North Between Secs 23 & 24.
 2.50 Set a Fract. Post on the North Bank of the River
 from which a
 Hickory 11 in^l diam. bears N 34 E. 56 links dist &
 a Do 15 " " " N. 51 W 28 " "
 30.33 A W Oak 24 in^l diam.
 45.00 Set a q^r Sec spot, from which a W. Oak 10 in^l diam.
 bears S. 8. E 18 links dist & a B. Oak 11 " "
 " N 10 W. 64 " "
 45.50 A Road. N W. & S E.
 60.67 A W Oak 12 in^l diam.
 80.00 Set a Post Corner to Secs 13 14 23 & 24, from which
 W. Oak 10 in^l diam. bears N 75 W 17 links dist & a
 Do 12 " " " S. 73 E 25 " "
 Land &c similar to last mile.

T. 37. N. R. 5. E. 2nd Mer. Indiana.

335

East On Random between Sec. 13 & 24.
 40.00 Set a tempo of the post.
 *20.00 A Brook 3 links wide Course South.
 79.86 Intersect the E. Boundary 39 links North of Post.

West Connected between Sec. 13 & 24.
 39.43 Set a post at arer. dist. from which
 a W. Oak 17 in. diam. bears N 25 W 20 links dist. &
 a Do 9 " " " S 32 E 27 " "
 79.86 To the Corner.

North Between Sec. 13 & 14.
 40.00 Set a post from which
 a W. Oak 32 in. diam. bears S 75 W 79 links dist. &
 a Do 32 " " " S 51 E 58 " "
 80.00 Set a Post corner to Sec. 11. 12. 13 & 14 from which
 a W. Oak 30 in. diam. bears S 18 W 52 links dist. &
 a B Oak 12 " " " S 67 E 81 " "
 Land & Timber same as last mile

East On Random between Sec. 12 & 13.
 40.00 Set a tempo of the Post.
 79.90 Intersect E. Boundary 52 links North of the Post.
 Land &c similar.

West Connected between Sec. 12 & 13.
 39.95 Set a post at arer. dist. from which
 a W. Oak 14 in. diam. bears N 25 E 35 links dist. &
 a B Oak 18 " " " S 43 E 30 " "
 79.90 To the Corner.

North Between Sec. 11 & 12.
 7.90 A B. Oak 12 in. diam.
 40.00 Set a post from which a
 W. Oak 8 in. diam. bears S 39 W 22 links dist. & a
 Hickory " " " N. 58 E. 20 " "

T 37. N. R 5 E 2nd Mer. Indiana

55 40 A B Oak 15 in. diam.

80.00 Set a Post Corner to Sec. 1. 2. 11 12. from which
 a Hickory 9 in. diam. bears S 33 W 10 links dist &
 a B Oak 14 " " " N 81 E. 12 " "
 Land &c similar.

East On Random between Sec. 1 & 2.

15 00 Enter Wet Prairie

40.00 Set a dump^d post at Sec Post.

60.00 Enter Woods Land

70.50 Enter Prairie

79 08 Intersect E. Boundary 73 links North in Prairie.
 Land level Wet Prairie. Soil v. note.

West Connected between Sec. 1 & 2.

39 84 Set a stake post at ar. dist. in Wet Prairie.
 from which a

W Oak 15 in. diam. bears S 70 E 12 10 links dist &
 No other tree near.

79 08 To Sec Corner. Jan^y 20th. 1830.

North Between Sec. 1 & 2.

5.00 Enter Wet Prairie

10.00 A Spring Run 5 links wide. Course N W.

15.00 Leave Prairie.

21.50 A Hickory 6 in. diam.

40.00 Set a post from which

a W. Oak 13 in. diam. bears S 89 W 20 links dist &
 a Do 15 " " " N 55 E 15 " "

47 00 Road East & West

65.90 A B Oak 8 in. diam.

75 85 Intersect the North Boundary 79 links East of Post.
 from which

a W. Oak 13 in. diam. bears S 32 W 10 links dist &
 a Do 12 " " " S 64 E 78 " "

Land &c similar to last North mile

T37. N. R 5 E. 2nd Mer. Indiana.

337

North Between Secs. 34 & 35.
 24.54 An Ironwood 5 in. diam.
 30.00 Enter Swamp.
 44.00 Set a qtz. Sec. post from which (in Swamp.)
 an Ash 12 in. diam. bears N. 19 W. 38 links dist. &
 a Burr Oak 20 in. " " S 53 E 196 " "
 47.00 To Yellow Creek 40 links wide. Course N E.
 51.00 Leave the Swamp.
 70.89 An Ash 18 in. diam.
 88.00 Set a Post Corner to Secs. 26 27 34 & 35 from which
 a Poplar 24 in. diam. bears S. 24 E 35 links dist. &
 a Hickory 9 " " " N. 49 W 24 " "
 Land Rolling & 1st note. Timber. Oak. Ash.
 and Beech. Undergrowth same with Spice. &c.

East On Random between Secs. 26 & 35.
 5.50 A Spring Run Course N E.
 24.00 To Yellow Creek 40 links wide. Course N E.
 40.00 Set a qtz. Sec. post (Swamp?)
 79.78 Intersect N & S line 38 links South of the Post.
 Land Rolling & 1st note Timber Oak. Undergrowth
 similar.

West Connected between Secs. 26 & 35.
 39.89 Set a qtz. Sec. post at arer. dist. from which
 an Ash 4 in. diam. bears S 65 W. 24 links dist. &
 a W. Oak 7 " " " N 58 E 86 " "
 79.78 To Sec. Corner.

North Between Secs. 26 & 27.
 3.00 A Spring Course East.
 15.95 An Elm 8 in. diam.
 40.00 Set a qtz. Sec. post from which
 an Elm 10 in. diam. bears S. 29 E. 22 links dist. &
 an Ironwood 5. " " " N. 71 W 16 " "
 58.94 A W Oak 6 " "

T37. N. R. 5. E. 2nd Mer. Indiana.

70.00 To Yellow Creek 40 links wide. Course S 8 W.
and leave thick wood.

80.00 Set a Post Corner to Secs. 22, 23, 26 & 27 from which
an Elm 11 ins. diam. bears S 38 E 5 links dist &
a Dr 5 " " " S 9 W 18 " "
Land Rolling and 1st rate. Timber, Hickory,
Ash, Oak, Elm, &c Undergrth same with them?

East On Random between Secs. 23 & 26

16.50 Road. Course N W. & S E

40.00 Set a Temp^o q^o. Sec. Post.

58.00 Enter West Prairie

64.52 Set Guide Post on the West side of the River.

66.72 Set " " " " East " " " "

76.72 Set " " " " West " " " "

79.72 Intersect the N. & S line 47 links South of the Post
in Island

Land Rolling & 2nd rate. Timber Oak.
Undergrth. Gr^op. Grubs & Weeds.

West Corrected between Secs. 23 & 26.

3.01 Set a Post on the West side of the River, from which
a Burr Oak 10 ins. diam. bears N 19 E 80 W dist &
an Ash 10 " " " S 43 1/2 W 98 " "

13.01 Set Pract. Post on the E Bank of River,
from which a

Willow 7 ins. diam. bears N 55 W 22 links dist & an
Ash 8 " " " S 59 E 68 " "

15.20 Set a Pract. Post on the W. Bank of River, from which
a W. Oak 20 ins. diam. bears N 71 W 305 W dist &

39.80 Set a q^o Sec Post from which

a W. Oak 15 ins. diam. bears N 45 E 110 W dist &
a B Oak 20 " " " N 89 W 83 " "

79.72 To Sec Corner.

North Between Secs. 22 & 23.

T 37 N. R 5 E 2nd Mer. Indiana.

339

- 19.00 Road Course N.W. & S.E. from Elkhead
Prairie, to Pleasant Plain.
- 20.10 A B Oak 19 in. diam.
- 40.00 Set a gp Sec post from which
a W Oak 22 in. diam. bears S 28° W 30 links dist &
a B. 18 " " " N 26° E 45 " "
- 69.05 A W Oak 12 " "
- 80.00 Set a Post-Corner to Secs. 14, 15, 22 & 23 from which a
W Oak 13 in. diam. bears S 31° W 10 links dist & a
B Oak 8 " " " S 80° E 90 " "
Land &c similar to last mile.

-
- East On Random between Secs. 14 & 23
- 40.00 Set a Temp. gp Sec post.
- 57.50 Set Guide Post West side of River.
- 54.72 Set Do " East " "
- 60.80 Set Wayne Road Course N.W. & S.E.
- 79.71 Intersect N & S line 63 links south of the Post.
Land & Timber same.

-
- West Connected between Secs. 14 & 23.
- 24.99 Set a Post on the E Bank of River from which
a W Oak 9 in. diam. bears S 70° E 35 links dist &
a Red Oak 14 " " " N. 87° W 23 " "
- 28.11 Set a fractional Post on the W. Bank of the River
from which a
W Oak 18 in. diam. bears N 65° W 24 links dist & a
B Oak 24 " " " S 69° W 83 " "
- 39.85 Set a gp Sec post at area dist from which
a Hickory 10 in. diam. bears N 57° W 35 links dist &
a B Oak 8 " " " S. 50° W 33 " "
- 79.71 To Sec Corner.

-
- North Between Secs. 14 & 15.
- 9.00 Road. E. & W.
- 21.80 A W Oak 8 in. diam.

T 37 N. R 5 E 2nd Mer Indiana.

- 110.00 Set a gr. Sec post from which
a W. Oak 9 in. diam. bears S 55 W 50 lbs. dist 8
a Do 15 " " " N 60 E 60 " "
- 60.00 A W Oak 20 " "
- 59.10 A Red Oak 7 in. diam. for fract. Corner at River
- 75.50 Set a fract. Post on the N side of the River from
which a W. Oak 18 in. diam. bears S 25 E 102 links dist 8
a Do 15 " " " N 6 W 139 " "
- 80.00 Set a Post Corner to Sec. 10 11, 14 & 15 from which
a Burr Oak 18 in. diam. bears N 79 E 82 links dist 8
a W. Oak 17 " " " N 6 E W 200 " "
Land & Timber similar. June 21st 1835.

- East On Chain between Sec. 11 & 14
- 20.00 Set Guide Post on River Bank.
- 30.50 Set " " " " On Road.
- 40.00 Set a Temp^s gr. Sec post
- 80 40 Intersect N & S line 89 links South of the Post.
Land & Timber similar

- West Connected between Sec. 11 & 14.
- 40.20 Set a gr. Sec post at aver. dist from which
a B. Oak 11 in. diam. bears S 70 W 9 links dist 8
a W. Oak 19 " " " N 41 E 135 " "
- 42 95 Set fract. Post on River Bank. from which
a B. Oak 12 in. diam. bears N 40 1/2 W 30 lbs. dist 8
a W Oak 8 " " " S 68 E 35 " "
- 60 40 Set fract. Post on River Bank. from which
a B. Oak 23 in. diam. bears N 20 E 71 lbs. dist 8
a Do 10 " " " S 45 W 58
- 80 40 To Sec Corner

- North Between Sec. 10 & 11.
- 24 87 A W. Oak 13 in. diam.
- 34 00 Road N. W. & S. E.
- 40 00 Set a gr. Sec post from which

341

T. & J. N. P. 5. E. 2nd Mer. Indiana

70.00 W. Oak 12 in. diam. bears S. 61 E. 41 links dist. &
 Do. 10 " " " N. 40 W. 40 " "
 70.00 Enter Dry Prairie
 80.00 Set a Post Corner to Sec. 2 & 10 M. from which
 a Burr Oak 8 in. diam. bears S. 24 E. 52 links dist. &
 a Do 10 " " " S. 5 W. 13 " "
 Land & similar

East On Random between Sec. 2 & 11.
 25.00 Leave Prairie
 40.00 Set a Temp. post at Sec. Post.
 80.70 Intersect the N & S line 108 links South of the Post.
 Land & similar to last mile

West Corrected between Sec. 2 & 11.
 40.35 Set a post at area dist. from which
 a W. Oak 17 in. diam. bears S. 33 W. 41 links dist. &
 a Hickory 8 " " " N. 37 E. 94 " "
 80.70 To Sec. Corner.

North Between Sec. 2 & 3.
 40.00 Set a post in Prairie. & raised a Mound.
 65.00 Leave the Prairie.
 70.70 A W. Oak 8 in. diam.
 77.30 Intersect the North Boundary 17 links East of
 the Post. from which
 a W. Oak 26 in. diam. bears S. 15 W. 79 links dist. &
 a Do 28 " " " S. 64 E. 95 " "
 Land Rolling and 1st note. Nearly all Prairie
 no Timber. Undergr. Grass & Meads.

North Between Sec. 33 & 34.
 22.30 An Ash 12 in. diam.
 40.00 Set a post from which
 an Ash 11 in. diam. bears S. 28 W. 12 links dist. &
 a Do 4 " " " N. 34 E. 23 " "

Comp

T37 N. R 5 E 2nd Mer. Indiana

62.83 A Beech 14 in. diam.

80.00 Set a Post Corner to Sec. 27 28. 33 & 34 from which
a Beech 8 in. diam. bears S 6 E 14 links dist &
a W. Oak 5 " " " N. 31 W. 14 " "
Land Rolling & 1st rate. Timber, Oak. Gum. Poplar.
& Undergrowth. Chocoma. Dogwood. Beech. Oak. Ash &c

East On Random between Sec. 27 & 34.

40.00 Set a Temp^l q^r. Sec post

79.90 Intersect N & S line 13 links South of the Post.
Land & Timber same as last mile

West Connected between Sec. 27 & 34

39.98 Set a q^r. Sec post at area dist from which
an Ash 8 in. diam. bears S 28 E 18 links dist &
a Do 5 " " " N. 4 W. 20 " "

79.90. To the Corner

North Between Sec. 27 & 28.

22.63 A Beech 6 in. diam.

40.00 Set a q^r. Sec post from which

a Poplar 15 in. diam. bears S 18 W. 22 lks dist &
an Ash 5 " " " N 58 E 17 " "

70.50 An Ash 5 " "

80.00 Set a Post Corner to Sec. 21 22. 27 & 28. from which
a W. Oak 10 in. diam. bears N 34 E. 39 links dist &
a Do 12 " " " N 80 W 60 " "
Land & similar to last mile.

East On Random between Sec. 22 & 27.

18.00 Leave thick Woods

40.00 Set a Temp^l q^r. Sec post.

50.00 Enter thick Woods.

* 79.95 Intersect N & S line 11 links S. of the Post.

* 70.90 To Yellow Creek 40 lks. wide. Co. N W. & East Woods.

Land same Timber Oak, Undergrowth. Shrubs. Knap. Meadows &c

T. 37. N. R. 5. E 2nd Mer. Indiana.

343

West Corrected between Sec. 22 & 27.
 39.99 Set a gp. Sec. post at aver. dist. from which
 a W. Oak 4 in. diam. bears S. 3 1/2 E. 196 lks dist. &
 a W. Oak 30 " " " S. 58 W. 471 " "
 79.98 To Sec. Corner. Jan. 22^d 1830.

North Between Sec. 21 & 22.
 8.00 Enter Swamp.
 25.00 Leave same.
 37.10 A W. Oak 18 in. diam.
 39.00 Enter Wet Prairie.
 40.00 Set a gp. Sec. post in Prairie, from which
 a Burr Oak 11 in. diam. bears S. 46 W. 49 lks dist. &
 a W. Oak 15 " " " S. 20 E. 214 " "
 80.00 Set a Post Corner to Sec. 15 18 21 & 22. from which a
 W. Oak 15 in. diam. bears N. 84 E. 173 links dist. & an
 Elm 10 " " " S. 7 1/2 W. 90 " "
 Land level & State, nearly all swamp & Marsh

East On Random between Sec. 15 & 22
 2.00 Leave Wet Prairie.
 7.50 Road. Course N. W. & S. E.
 119.50 To Yellow Creek 35 links wide Course North
 86.50 Road Course N. W. & S. E.
 80.02 Intersect N & S line 27 links South of the Post.
 Land Rolling & State. Timber Oak. Underg.
 Grubs. Grap & lines.

West Corrected between Sec. 15 & 22.
 40.01 Set a gp. Sec. post at aver. dist. from which
 a B Oak 13 in. diam. bears S. 25 W. 25 links dist. &
 a D 12 " " " S. 52 E 36 " "
 80.02 To Sec. Corner.

North Between Sec. 15 & 18.
 3.00 Leave Wet Prairie

T. 37. N. R. 5 E. 2nd Mer. Indiana.

- 10.50 A Road Course N.W. & S.E.
 40.00 Set a gr. Sec. post from which
 a W. Oak 13 in. diam. bears S 54 E 50 lks dist &
 a Do 12 " " " N 43 W 33 " "
 54.89 A W. Oak 30 " "
 60.00 Enter Mt. Prairie
 74.00 Leave same
 80.00 Set a Post Corner to Sec. 9. 10 15 & 10 from which
 a W. Oak 18 in. diam. bears S 17 W 78 links dist &
 a Do 22 " " " S 78 W 21 " "
 Land Rolling & moderate. Timber Oak & Hickory.
 Undergr. Gravel Grap & Meads

- East On Random between Sec. 10 & 15.
 24.00 Set Guide Post on the West side of River
 31.50 Set " " " " East " " "
 40.00 Set a Temp^y gr. Sec. post.
 79.53 Intersect N & S line 18 links South of the Post.
 Land & similar

- West Connected between Sec. 10 & 15.
 39.70 Set a gr. Sec. post at area dist from which
 B. Oak 5 in. diam. bears N 51 E 70 links dist &
 a W. Oak 18 " " " S 60 W 77 " "
 48.03 Set Tract. Post on the East Bank of River.
 from which a
 W. Oak 8 in. diam. bears S 87 E 62 links dist & a
 Do 9 " " " N. 3 E. 45 " "
 55.53 Set a Tract. Post on the West Bank of River
 from which a
 W. Oak 30 in. diam. bears N 83 W 24 5 lks dist &
 no other tree near.
 79.53 To the Corner.

- North Between Sec. 9 & 10.
 3.00 Set a Tract. Post on the S. Bank of the River

T. 37. N. R. 5. E. 2nd Mer. Indiana.

345

- from which a
 W. Oak 20 in. diam. bears N 83° W 237 lbs dist
 17.50 A W Oak 8 " " for fract. Corner on the N. side
 of Bend.
 40.00 Set a gr Sec. post from which
 a Hickory 4 in. diam. bears S 15° E 10 links dist &
 a Walnut 9 " " " N 84° W 15 " "
 48.50 Set a fract. Cor Post on the S. side of the River
 from which a
 Sycamore 10 in. diam. bears N. 76° W. 65 links dist
 W. Willow 6 " " " N 74° E 50 " "
 52.80 A W. Oak 12 " " is fract. Corner on N. side of river
 80.00 Set a Post Corner to Sec. 3. 14 y 110 from which
 a W. Oak 22 in. diam. bears S. 82° W. 100 lbs dist &
 a B. Oak 12 " " " N. 76° E. 45 " "
 Land &c similar.

-
- East On Random between Sec. 3 & 10.
 11.00 Enter Prairie
 22.00 For Wayne Road N W & S E
 40.00 Set a temp. gr Sec. Post, & Enter woods.
 65.00 Enter Prairie
 79.63 Intersect the N & S line 34 links South of the Post.
 Land 1st rate Timber, Burr & W. Oak,

-
- West Connected between Sec. 3 & 11.
 69.81 $\frac{1}{2}$ Set a gr Sec post at over dist from which
 a Hickory 9 in. diam. bears N 60° E. 1.51 lbs. dist &
 a B Oak 12 " " " N. 52° W 38 " "
 79.63 To the Corner.

-
- North Between Sec 3 & 4
 4.70 A W. Oak 6 in. diam.
 9.00 Enter Prairie.
 10.50 Road Corner N W & S E.
 40.00 Set a gr Sec post and raise a Mound.

T. 37. N. R. 5. E. 2nd Mer. Indiana.

74.73 A W. Oak 12 in. diam. & Scarce Prairie
 77.02 Intersect the North Boundary 42 links East of the
 Post from which a
 W. Oak 24 in. diam. bears S. 5 E. 21 lks dist & a
 Do 7 " " " S 30¹/₂ W. 1.37 " "
 Land rolling & 1st rate. Undergrth Grap & Meses
 Jan^y 23rd 1830.

North Between Secs 32 & 33.
 18.00 Leave Tamarac Swamp.
 21.19 An Ironwood 3 in. diam.
 40.00 Set a gr. Sec post from which
 a Buck 4 in. diam. bears S 65 W 19 lks dist &
 a Do 7 " " " N. 65 E. 5 " "
 51.70 An Ash 15 " "
 53.00 Enter Willow Swamp.
 65.00 Leave same.
 80.00 Set a Post Corner to Secs 28, 29, 32 & 33 from which
 W. Oak 22 in. diam. bears S 20 E 40 links dist & a
 Buck 16 " " " N 56 W 26 " "
 Land rolling and 2nd rate. Timber. Oak. Buck
 & Poplar. Undergrth Ironwood & Ash
 some swampy.

East On Random between Secs 28 & 33.
 25.00 Enter Swamp.
 29.00 Leave same.
 40.00 Set a Temp^o gr. Sec Post.
 50.00 Enter Swamp.
 57.00 Leave same.
 80.00 Intersect N & S line 17 links North of the Post.
 Land & Timber similar

West Connected between Secs 28 & 33.
 40.05 Set a gr. Sec post at a cross dist from which
 an Ash 5 in. diam. bears S 81 E 38 links dist & a

T. & J. N. P. 5. E. 2nd Mer. Indiana.

347

Poplar 13 in. diam. bears N. 47 W. 25 links dist.
50.00 To Sec Corner.

North Between Sec. 28 & 29.

17.10 A Poplar 21 in. diam.

40.00 Set a qz Sec. post. from which
a Poplar 7 in. diam. bears S 28 E 8 lks dist. &
a Spruce 23 " " " N 10 E 8 " "

55.79 A Sugar 10 " " On Bank of Run 14 links wide.
Course East.

50.00 Set a Post Corner to Sec. 20 21. 28 & 29 from which
an Elm 18 in. diam. bears S 28 E 19 links dist. &
" Hickory 10 in. " " N. 69 W. 13 " "
Land Rolling & rich 1st rate. Timber. &c same.

East On Random between Sec. 21 & 28

10.07 Enter Swamp

21.00 Leave same

40.00 Set a Temp^l qz Sec. Post.

50.17 Intersect the N & S line. 4 links South of the Post.
Land &c similar to last mile.

West Corrected between Sec. 21 & 28

40.08 Set a qz Sec. post at aver. dist. from which
a Poplar 7 in. diam. bears N 28 W. 27 lks dist. &
a Do 10 " " " S 65 E. 38 " "

50.17 To Sec Corner.

North Between Sec. 20 & 21.

20.10 A Red Oak 23 in. diam.

40.00 Set a qz Sec. post from which
a Sugar 5 in. diam. bears S 30 W. 8 links dist. &
an Ash 5 " " " N 62 E. 9 " "

64.02 An Ash 7 " "

75.00 Leave thick woods

80.00 Set a Post Corner to Sec. 16, 17, 20 & 21. from which

T 37 N. R 5 E 2nd Mer. Indiana

W. Oak 4 in. bears S 3.7 E 36 lks dist & a
 Do 17 " " N. 7 W. 69 " "
 Land &c similar

East On Random between Sec 10 & 21.
 40.00 Set a Temp^o ga the post in the edge of Marsh
 48.00 Leave Marsh
 56.00 Enter same Marsh
 79.84 Intersect N & S line 11 links North of Post in Marsh
 Land level & separate. Timber Oak. Undergth
 Grubs. Grass & Weeds.

West Connected between Sec 16 & 21
 39.92 Set a ga the post at aver. dist from which
 a B. Oak 17 in. diam. bears S 5 E 15 links dist & a
 Do 18 " " N. 30. W 47 " "
 79.84 To Sec. Corner.

North Between Sec 16 & 17.
 12.10 A W. Oak 15 in. diam. at Road Course S 8 W 5 E
 20.00 Pleasant Plain & Dry Prairie
 40.00 Set a ga the post in Mound in Prairie.
 80.00 Set a Post Corner to Sec 8. 9. 16. 17 in Prairie.
 From which a
 Burr Oak 8 in. diam. bears S. 30 W. 263 lks. dist &
 a " Do 8 " " " N. 7 E. 2.87 " "
 Land 1st rate nearly all Prairie.

East On Random between Sec 9 & 10.
 40.00 Set a Temp^o ga the post in Prairie.
 58.00 ~~Leaving~~ ^{Leaving} Brook 4 links wide. Course N E.
 & Enter Wet Prairie
 78.00 Leave Prairie
 79.98 Intersect N & S line 23 links South of the Post.
 Land 1st mile as before. Last 1/4 mile 2nd rate.
 Timber Oak. Undergth. Grass & Weeds.

T. 7. N. R. 5 E. 2nd Mer. Indiana.

349

West Connected between Sec. 9 & 10.
 39 99 Set a q^z the post at arer. dist. from which
 a Burr Oak 9 in. diam. bears S 50° W 265 lks dist. &
 a Do 8 " " " S 87° W 465 " "
 79 98 To the Corner June 25th 1830.

North Between Sec. 8 & 9.
 5 00 Large pleasant Prairie
 12. 05 A W. Oak 28 in. diam.
 40. 07 Set a q^z the post from which
 a W. Oak 18 in. diam. bears S 15° W 103 links dist. &
 a B. Oak 15 " " " N. 60° E 131 " "
 58 93 A W Oak 30 " "
 80. 07 Set a Post Corner to Sec. 4 5 8 & 9 from which
 a W. Oak 18 in. diam. bears S 14° W 100 links dist. &
 a B. Oak 15 " " " N. 88° E 54 " "
 Land Rolling & 2nd are Timber. W. & B. Oak.
 Undergrnd Gravel. Grass & Weeds.

East On Random between Sec. 4 & 9.
 15 00 Road. Course N. E & S W.
 35 00 Set a Guide Post at River.
 38 50 Set " " on Bank of River.
 40. 00 Set a Timpst q^z the post.
 79. 75 Intersect N & S line 19 links South of Post.
 Land &c similar.

West Connected between Sec. 4 & 9
 39 87 1/2 Set a q^z the post at arer. dist. from which
 a W. Oak 20 in. diam. bears S 78° W 35 lks dist. &
 a B Oak 9 " " " N. 56° E 135 " "
 41. 25 Set a fract. Post on the E Bank of River.
 from which a
 W. Oak 10 in. diam. bears S 22° E 49 links dist. & a
 Do 15 " " " N. 32° E 51 " "
 44. 75 Set fract. Post on the W. Bank of the River.

T37. N. B. 5. E. 2nd Mer. Indiana.

from which
 a Burr Oak 6 in. diam. bears N 24 E 37 lks dist
 a " Do 17 " " " S 49 W 212. "
 79.75 To the Corner

North Between Secs 4 & 5.

17.45 A W Oak 10 in. di

31.00 Set a fract. Post on the S. Bank of River
 from which a

Burr Oak 6 in. diam. bears S 37 W 100 lks dist

a Linn 12 " " " N. 45 E. 80 " "

30.00 A W Oak for fract. Corner on the N. Bank.

44.00 Set a gr. the post from which

a Burr Oak 10 in. diam. bears S 2 E 97 lks dist

a B. Oak 23 " " " N. 34 E. 111 " "

58.00 To Wayne Road Corner N.W. & S.E.

63.50 Set a fract. Post on the S. Bank of St. Josephs
 River from which

a Burr Oak 22 in. diam. bears S 38 W 1.80 lks dist

a W. Oak 30 " " " S. 70 E 2.53 " "

68.40 Set a fractional post on the N. Bank of the River
 from which

an Elm 15 in. diam. bears S 22 W 72 lks dist

a Forked W. Oak - " " N 50 W 53 " "

75.00 A Brook 5 links wide Course S.W.

77.58 Intersect the North Boundary 96 links E. of Post
 from which a

W. Oak 12 in. diam. bears S 54 W 21 lks dist

a Do 14 " " " S. 81 E 107 " "

Land &c similar to last mile.

North Between Secs 31 & 32.

19.02 A Buck 6 in. diam.

26.50 A Brook 4 links wide Course East.

40.00 Set a gr. the post from which

a Buck 6 in. diam. bears S 67 W 20 links dist

- a Buck 5 in. diam. bears N 13 E 12 lks dist
 50.00 Enter Swamp
 56.00 Leave same
 64 64 A Sugar 14 in. diam.
 80 00 Set a Post Corner to Sec. 29 30. 31. & 32. from which
 a Sugar 12 in. diam. bears S 4 E 31 links dist &
 a Buck 9 " " " N 22 W 17 " "
 Land Rolling & moderate. Swampy. Timber, Buck
 Sugar. Elm. &c. Undergrowth. Ironwood & Buck.

- East On Random between Sec. 29 & 32.
 33 00 Enter Swamp.
 40.00 Set a Jump of Sec. posts.
 50.00 Leave the Swamp.
 80.40 Intersect N & S line 17 links North of the Post.
 Land & Timber similar to last mile.

- West Connected between Sec. 29 & 32.
 40.20 Set a 2nd Sec. post at aver. dist from which
 a W. Oak 18 in. diam. bears West 27 links dist &
 a Buck 5 " " " N 77 E 17 " "
 80 40 To Sec. Corner.

- West Between Sec. 30 & 31.
 19.45 A Buck 9 in. diam.
 40.00 Set a 2nd Sec. post from which
 a Buck 11 in. diam. bears N 85 E 41 lks dist &
 an Elm 24 " " " S 65 W 13 " "
 54.69 A Buck 13 " "
 75 95 Intersect the West Boundary 62 links South of Post.
 Land &c. similar. a Buck 11 S 64 E 41 lks. & a
 Buck 24 N 17 E 13 lks.

- North Between Sec. 29 & 30.
 17.74 A W. Oak 16 in. diam.
 40.00 Set a 2nd Sec. post from which
 a Buck 10 in. diam. bears S 7 W 27 links dist &

T37 N. R 5 E 2nd Mer. Indiana.

114.00 a Buck 19 in. diam. bears N. 16 E 50 links dist &
 A Brook 5 links wide. Course N E.
 60.00 Grave D. 5 " " " N E.
 63.80 A Lynn 17 in. diam.
 80.00 Set a Post Corner to Sec. 19 20. 29 & 30. from which
 an Ash 30 in. diam. bears S 9 W 10 links dist &
 a Lynn 12 " " " N 5 E 24 " "
 Land Rolling & 1st rate Timber. Oak. Ash Lynn. &
 Undergrowth. Spice & Ash

East On Random between Sec. 20 & 29.
 40.00 Set a Temp^l post at Sec Post.
 59.00 A Brook 5 links wide. Course N E.
 80.20 Intersect the N & E line 26 links North of the Post.

West Corrected between Sec. 20 & 29.
 40.10 Set a gp. Sec Post at aver. dist from which
 a Poplar 13 in. diam. bears S 18 E 8 links dist and
 a Buck 9 " " " N. 21 W. 27 " "
 80.20 To the Corner. June 26th 1830.

West Between Sec. 19 & 30.
 22.12 An Ash 7 in. diam.
 40.00 Set a gp. Sec. post from which
 a Buck 14 in. diam. bears N 88 E 31 links dist &
 a D. 10 " " " N 84 W 12 " "
 60.00 A Lynn 8 " "
 75.80 Intersect the West Boundary 77 links S. of Post.
 from which
 a Buck 10 in. diam. bears N. 27 E 27 links dist &
 an Ash 5 " " " S 27 E 45 " "
 Land & Timber similar to last mile.

North Between Sec. 19 & 20.
 18.27 A Sugar 6 in. diam.
 40.00 Set a gp. Sec post. from which

T 37. N. R 5 E 2nd Mer. Indiana,

353

Buck 6 in. diam. bears N 63 E 11 links dist &
an Elm 7 " " " S 85 W 25 " "
45.00 Large thick woods
73.83 A B Oak 6 in. diam.
80.00 Set a Post Corner to Sec. 17 18 19 & 20. from which
a Hickory 5 in. diam. bears S 45 E 62 links dist &
a B Oak 18 " " " N 71 W 17 " "
Land 1st 1/2 mile as before. East 1/2 Oak Land
separate.

East On Random between Sec. 17 & 20
40.00 Set a Temp^l q. sec. Post.
50.40 Intersect the N & S line 3 links South of the Post.
Land be same as last 1/2 mile.

Note Corrected between Sec. 17 & 20.
40.20 Set a q. sec. post at aver. dist from which
a Hickory 5 in. diam. bears N 16 1/2 W 35 lks dist &
a Do. 6 " " " S 15 W 5 " "
50.40 To Sec. Corner.

Note Between Sec. 18 & 19.
21.70 A W. Oak 15 in. diam.
40.00 Set a q. sec. post, from which
a W. Oak 20 in. diam. bears N 2 E 95 links dist &
a Do 12 " " " S 15 E 74 " "
71.07 A Hickory 6 in. diam.
75.40 Intersect the West Boundary 103 links South of Post.
a Hickory 6 in. diam. bears N 53 E 116 lks. dist &
a B. Oak 24 " " " S 47 E 106 " "
Land level. sandy & separate. Timber Oak.
Undergrth. Grap. Vines & vines.

North Between Sec. 17 & 18
13.24 A W. Oak 26 in. diam. & Road E & W.
40.00 Set a q. sec. post. from which

T³⁷ N. R 5 E 3rd Mer. Indians.

- a Burr Oak 15 in. diam. bears S 18° W 83 links dist &
 a W. Oak 7 " " " N 55° W 27 " "
 57.83 A W Oak 10 " "
 80.00 Set a Post Corner to Sec. 7 8 17 & 18 from which
 a W. Oak 5 in. diam. bears S 27° E 58 links dist &
 a Do 9 " " " N 28° W 61 " "
 Land &c similar to last mile

- East On Random between Sec. 8 & 7.
 24.07 Road Corner N & E.
 40.00 Set a Temp. qz Sec. Post.
 57.00 Enter Prairie
 80.05 Intersect the N. & E line 15 links South of Post
 in Prairie.
 Land on the 1st 1/2 mile as before. Last 1/2 mile Prairie
 Soil 1st rate. Undergrth Grass & Weeds.

- West Connected between Sec. 8 & 7.
 40.02 1/2 Set a qz Sec. post at a cor. dist from which
 a Hickory 6 in. diam. bears N. 31° E 31 lks. dist and
 a Burr Oak 5 " " " S 23° W 40 " "
 80.05 To Sec. Corner.

- West Between Sec. 7 & 18.
 24.90 A Hickory 7 in. diam.
 40.00 Set a qz Sec. post from which a
 W. Oak 20 in. diam. bears S 12° W 13 lks. dist & a
 Do 15 " " " N 54° W 56 " "
 56.58 A W. Oak 18 in. diam.
 75.65 Intersect the West Boundary 83 links South of
 the Post from which a
 W. Oak 7 in. diam. bears N 32° E 46 links dist & a
 Hickory 8 " " " S 10 1/2° E 62 " "
 Land level & 2nd rate. Spruce Oak.
 Undergrth Grass & Vines.

North Between Sec. 7 & 8.

29.44 A B. Oak 17 in. diam.

40.00 Set a gp Sec. Post from which

a B. Oak 8 in. diam. bears S 35 W 47 links dist &

a W Oak 21 " " " N 10 E 80 " "

61.03 a B. Oak 13 " "

79.01 Set a fract. post on the S. Bank of River.

St Joseph. from which

a B Oak 14 in. diam. bears S 18 W 19 links dist &

a D. 12 " " " N 43 E 18 " "

Land &c similar to last mile

Corner of Sec. 5 & 6 7 & 8. in River.

Jan. 27th 1836.

East On Random between Sec. 5 & 8.

14.20 Set a Guide Post on the W Bank of River.

19.00 Road Course N. E. & S. W

40.00 Set a Simp's gp. Sec. post

79.80 Intersect the N & S line 24 links North of the Post.

Land &c. similar to the last mile.

West Corrected between Sec. 5 & 8.

39.90 Set a gp Sec. post at arer. dist from which

a B. Oak 15 in. diam. bears N 58 W 77 links dist &

a D. 12 " " " S. 84 E 81 " "

65.60 Set a fract. Post on the E Bank of the River. from which

a B. Oak 10 in. diam. bears S 83 W 56 links dist &

a D. 11 " " " S. 52 E 31 " "

79.80 To Sec. Corner. in River

West Between Sec. 6 & 7.

2.00 Set a fract. Post on the W Bank of the River

from which a

B. Oak 12 in. diam. bears S 12 E 13 links dist & a

W Oak 6 " " " N. 2 E 34 " "

23.40 Set a fract. Post on the E. Bank of River from which

T37 N. R 5 E 2nd Mer. Indiana,

- a B. Oak 6 " " N 13 $\frac{1}{2}$ W 4 $\frac{1}{2}$ links dist &
 a Hickory 6 in. diam. bears S 1 $\frac{1}{2}$ W 95 links dist &
 29 20 Set a track post on the W. Bank of the River,
 from which
 a B. Oak 6 in. diam. bears N 28 $\frac{1}{2}$ W 15 links dist &
 a D. 20 " " " S. 9 E 30 " "
 40.00 Set a gr. etc. post from which
 a W. Oak 8 in. diam. bears S 72 $\frac{1}{2}$ E 100 links dist &
 a B. Oak 13 " " " N 74 W 73 " "
 53.70 A W. Oak 6 " "
 75 90 Intersect the West Boundary 90 links South of Post,
 from which a
 W. Oak 12 in. diam. bears S 79 E 80 links dist & a
 " D. 7 " " " N 70 E 76 " "
 Land &c similar to last mile.

- North Between Sec. 5 & 6.
 4. 90 An Elm 6 in. diam. for track corner on the North
 Bank of the St. Joseph's River
 40.00 Set a gr. etc. post, from which
 W. Oak 11 in. diam. bears S 14 $\frac{1}{2}$ E. 43 links dist & a
 D. 15 " " " S 88 $\frac{1}{2}$ W. 15 " "
 42 70 A W. Oak 12 " "
 76.70 Intersect the North Boundary 188 links East
 of the Post. from which
 a B. Oak 18 in. diam. bears S 36 E 34 links dist &
 a W. Oak 12 " " " S 62 W. 80 " "
 Land &c similar.
 Jan^y 28th 1830.

Meanders of the Elk head River.

Beginning at an Elm tree on the East Bank
 and at the junction of the St. Joseph River
 Thence up stream in Sec. 5 Bar. 5 15 E

Courses Distances. Remarks
 S 10 E 9 00 in Bottom.

Ty N. R. 5 E 2nd Mer. Indiana

357

S 47 E 30.00 Rapid Current.
 N 61 E 5.00 Gentle "
 N 40 W 15.00 450 fms & Road N & S.
 N 50 E 7.00
 S 77 1/2 E 7.70 At 200 Leve bottom of R. Oak 8 int diam.
 1.75 line between 1145.

S 50 E 9.00 On Sec 1.
 N 75 E 9.00
 N 19 E 25.00 At 10.00 N Bank 20 feet high
 S 75 E 10.00
 S 35 E 16.00
 S 41 W 17.00 At 300 Leve high Banks
 S 73 W 10.00 113 W. 8
 S 62 E 22.00 At 1500 high Banks.
 S 2 W 6.24 To Post in E & W. line Between Sec. 4 & 9.

S 31 W 13.00 On Sec 9. At 200 high banks
 S 41 E 14.00 At 4.00 foot of an Island. At 700 head of Do.
 N 45 E 2.00
 N 17 E 15.00 At 200 foot of an Island. At 12.00 head.
 N 85 E 10.00
 S 23 E 19.00
 S 75 E 16.50 At 300. Road & fms E & W
 To a Mr. Oak 12 int diam in N & S line.
 Between Sec. 9 & 10.

S 46 E 12.00 On Sec 9. At 10.00 foot of Island
 S 11 W 12.00 At 800 head of Island.
 S 31 E 8.00
 S 21 W 21.00
 S 85 E 18.00
 S 66 E 12.74 To Post in East & West line. Between
 Sec. 10 & 15.

S 56 E 9.00 On Sec 15.

T 37. N. R 5 E 2nd Mer. Indiana,

S 79 E 13.00

S 8 W 8.00

S 13 W 10.00

N 70 E 13.00

N 30 E 17.00

N 76 E 8.00 At 500 Enter Low land

S 49 E 8.00 At 450 To Post in N & E line between
Secs 14 & 15.

South 12.00 In Sec 14. At 50 links a Brook 8 lbs. wide. 18

N 80 E 5.00

N 18 E 15.00 High Banks

N 59 E 8.77 To Post in E & W line between Secs 11 & 14.

N 88 E 11.00 In Sec 11.

S 58 E 11.00 At 7.74 To Post in the same line

S 21 E 7.00 In Sec 14 Roubens Post.

S 28 W 10.00 At 800. Road. E & W from Sec.

S 2 W 25.00 wanting S 47 E 16.00

S 42 W 11.00

S 91 W 8.00

S 57 W 4.00

S 43 W 2.00

N 78 E 11.00

S 58 E 18.00

S 18 E 10.00 6.83. To Post in E & W line between Secs 14 & 23

S 34 W 8.00 In Sec 23.

S 83 W 7.00

S 26 E 2.00

N 88 E 10.00 At 500. foot of plateau.

S 57 E 6.00

S 64 E 7.00

S 1 E 8.00

S 82 W 14.00

359

T 37. N. R 5 E 2nd Mer Indiana.

S 28 W 5.00
 S 24 E 14.00 At 500 feet of Island.
 N 70 E 10.00
 S 68 E 9.00
 S 4 W 21.00
 S 18 E 3.00
 S 7 W 6.00
 S 68 W 11.00
 S 21 W 5.00 3.17. To Post in E & W line Belter
 Sec? 23 & 26

S 6 E 13.00 In Sec 26.
 S 18 W 8.00
 S 40 E 6.00
 S 65 E 6.00
 N 32 E 7.00
 N 1 W 6.00
 N 26 W 5.00
 N 9 E 5.00
 N E 7.58 To Post in E & W line between Sec? 23 & 26.
 feet of Island.

In Sec 23.

N 57 E 8.00. At 3.90 to Post in N & E line between
 Sec? 23 & 24. At 0.11 Head of Island,

S 89 E 0.00 In Sec 24.

S 42 E 11.00 At 3.00 Spring Run 6 links wide. Co. S & E,
 At 7.55 To Post in E & W line between
 Sec? 24 & 25.

S 33 W 12.00 In Sec. 25
 S 53 E 14.00
 S 7 E 35.00
 S 27 W 7.00 At 500. Road from Chicago to Fort Wayne.

T37 N. R 5 E 2nd Mer. Indiana.

S 2 W 8.00 crops 1st time
 S 64 E 6.00
 N 77 E 5.00
 N 43 E 10.00
 N 71 E 7.00 Benaca House
 S 58 E 24.00
 S 31 E 6.64 To Post in E & W line between Sec. 25 & 36.

S 1 W 3.00 In Sec 36
 S 22 E 3.00
 S 42 E 4.00
 S 55 E 5.00
 S 3 E 7.00
 N 40 E 5.00
 N 44 E 5.75 To Post in Range line East Boundary of Sec 36.

Meanders of the S W side down Stream
 from Post in Range on East Boundary of Sec 36.
 S 61 W 5.00 High Banks
 N 21 W 8.00 At 5.00 Bottom Land
 N 38 W 5.00 - ~~winding~~ 5.00
 N 15 W 4.23 To Post in E & W line between Sec. 25 & 36.

In Sec 25.
 N 28 W 3.00 Leave Bottom
 N 70 W 10.00
 N 47 W 14.00
 S 78 W 3.00
 S 42 W 12.00 high Banks
 S 80 W 11.00
 N 48 W 7.00
 N 1 E 14.00 At 12.00 Road from Chicago to Mr. Wayne.
 N 37 E 6.00
 N 23 W 9.00
 N 6 E 13.00
 N 19 W 9.00

T 37 N. R. 5. E. 2nd Mer. Indiana.

361

N 60 W 10.00

N 21 W 7.00

N 22 E 10.00

N 24 E 332 To Post in E & W line between Sec. 24 & 25.

N 50 W 5.00

In Sec. 24

S 51 W 2.00

S 32 W 219 A W Oak 18 in. diam. in E & W line between Sec. 24 & 25

S 56 W 521

In Sec. 25.

To Post in N & S line between Sec. 25 & 26.

South 12.00

On the line to a Lynn fractional Corner in the line

S 23 E. 5.00

S 22 1/2 W 9.00 At 576 A W Oak 5 in. diam. fract. Corner in N & S line between Sec. 25 & 26.

S 48 W 7.00

N 51 W 14.00 At 350 Center Mt. Prairie

N 4 W 8.00 At 757 A Brook 6 links wide. Course Mt. 6.

N 21 E 7.00

N 24 E 979 To Post in E & W line between Sec. 23 & 26.

N 19 E 6.00

N 70 E 9.00

N 12 W 12.00

N 16 E 14.00

S 84 W 14.00

N 25 W 11.00

N 23 E 11.00

N 72 E 13.00

N 48 W 6.00

N 88 W 15.00

T37 N. R. 5. E. T^h 1st Mer. Indiana

N33W 6.00

N5 E 6.00

N80 E 8.00

N8 E 6.68 To Post in E & W line Between Secs 14 & 23

N47W 16.00

In Sec 14.

S87W 11.00

N35W 7.00

N32 E 8.00

S88 E 5.00

N58 E 7.00

N7 E 22.00

N42W 17.00 At 550 Road E & W. ford

N23 E 14.00

N30W 4.00

N88W 13.00

S27W 8.00

S36W 14.00

S62W 7.00

N53W 10.00 At 508 A Red Oak 6 in. diam. in N & S line
Between Secs 14 & 15

N5 E 12.00

In Sec 15.

N80W 4.00

S47W 6.00

S27W 14.00

S50W 10.00

S73W 4.00

N70W 10.00 At 300 To Yellow Creek 30 links wide Course S

N9 E 7.00

N44 E 8.00

N8 W 4.00

S85W 8.00

N50W 18.50 To Post in E & W line Between Secs 10 & 15
Thence in Sec 10.

T37 N R 5 E 2nd Mer. Indiana

363

N 52 W 24.90 To Post in N & S line between Sec. 9 & 10.

N 49 W 5.00 In Sec 9.

N 18 E 12.12 At 107 A Brook 3 links wide — S W.

To a W. Oak 12 ins. diam. in N & S line
Between Sec. 9 & 10.

N 58 E 10.00 In Sec 10.

N 37 W 14.00

North 14.19 To Post in the N & S line between Sec. 9 & 10.

N 58 W 10.00 In Sec 9

S 74 W 12.00 At 10 Leave Bottom

N 1 W 13.00 Road At 400. E & W. & ford

N 49 W 9.00

S 41 W 5.00 At 200 Head of an Island.

S 26 W 7.00 Sub. " "

S 60 W 12.00

N 28 W 19.00

N 37 E 12.30 To Post in E & W line Between Sec. 4 & 9.

N 12 E 4.00 In Sec 4

N 39 W 18.00

N 23 W 10.00

N 34 E 10.00

N 70 E 12.00

N 32 E 10.00

N 22 W 9.00

N 53 W 9.00

S 87 W 9.00

S 10 W 13.00

S 65 W 16.00

N 74 W 7.77 To Post in the N & S Between Sec. 4 & 5

N 55 W 8.00 In Sec 5.

S 40 W 2.00

T37 N. R 5 E 2nd Mer. Indiana.

S41 E 10.00

S12 W 6.00

S79 W 9.00

N60 W 10.00

N38 W 21.00 At 500 High Banks

N1 W 12.40 To Post on the Bank of the St-Josephs River
at the junction of Elk-horn-River.Meanders of St-Josephs River up stream from
Post in Range line Bank.

Courses Distances West Boundary in Sec 7.

N86 E 17.00 Gentle Current

S33 E 25.00 At high Banks 20 feet.

S57 E 13.00 At 7.50 A Spring 5 links wide. Course South

N64 E 12.00

N14 E 8.00

N. 4 W 20.00 At 300 Low Banks.

To Post in E & W line between Sec. 6 & 7.
Rapid Currents.

N40 E 9.00 In Section 6.

S70 E 12.00 high Banks

S50 E 5.43 To Post in Sec. line between Sec. 6 & 7

S62 E 8.00 In Sec 7. At 2.23 to Post in N & S line
Between Sec. 7 & 8.

N75 E 7.00

N57 E 8.00 At 2.70 to Post in E & W line Between
Sec. 5 & 8.

N6 E 10.00 In Sec 5 At Bank 30 feet high.

N20 W 23.00 200. low Banks. Gentle Current.

N38 E 28.00, 4.50 Road & feeding River

N83 E 7.00

S76 E 8.00 North edge of Salina leads East. At 2.00

T 33 E 9. 40. At 400. Edge of Island. bears East.

At 500 Set a Post in the West Bank of
Elkhart River at Junction with the St. Joseph's
from which a

B Oak 10 in. diam. bears N. 66 W 41 links dist & a

D_o 16 " " " " S 3 E 83 " "

At 940 An Elm 12 in. diam. on East bank. front
Corner, where foot of Island bears North

T 87 E 12.00 To Bottom Land At 600 Head of an Island North.

T 52 E 16.00 At 1000 Fort Wayne Road & Ford.

T 40 E 3.77 To Post in N & S line between Sec. 4 & 5.

T 88 E 11.00 In Sec 4 At 500. Bank 15 feet high.

T 55 E 9.00 At 300. foot of an Island

T 78 E 6.00

T 59 E 12.00 At 1000 Leave high Banks At 400 Head of
Island

T 86 E 15.00 At 900 High Banks & foot of an Island.

T 43 E 10.00 At 1000 Leave high Banks At 500 Head
of Island

T 7 W 5.50 To Post in T line E & W. of Boundary
of Sec 4

From Post in Town line in Sec 3.

T 55 E 11.00

T 81 E 12.00

T 49 E 12.20 At 200 Leave high Banks

To Post in Town line Between Sec. 3 & 34.

From Post in Town line in Sec 2

T 55 E 21.00 At 500 foot of Island.

T 70 E 34.74 To Post in T line N. Boundary of Sec 2.

At 700 A Break 8 links wide. Course S E.

At 1500 head of Island.

Meanders of the St. Joseph's River On the North

T. 37. N. R. 5. E. 2nd Mer. Indiana.

Side from Post on Range line West Boundary of
Sec 7 Up Stream. In Sec 7.

N 89 E 11.00 Banks 25 feet high.

S 87 E 13.00

S 30 E 35.00 At 2000 Low Banks

N 40 E 8.00

N 7 W 28.20 At 2000 high Banks

To Post in E & W line Between Secs 6 & 7.

N 25 E 8.00 In Sec 6.

N 80 E 17.00

S 44 E 10.10 At 300 Low high Banks

An Elm 8 in. diam. fruct. Corner in N & S
line Between Secs 5 & 6.

N 84 E 15.00 In Sec 5.

N 8 W 8.00

N 35 W 14.00

N 2. E 14.00 At 1000 high Banks South of House.

N 40 E 20.00

N 74 E 12.00

S 70 E 10.00

N 78 E 14.00 At Foot of Island

S 86 E 9.00 At 700 Fort Wayne Road & head of Head of Island

N 88 E 14.30 At 400 Sagis Mile

10.00 Christian Creek 50 links wide. N.W.

To Post in N & S line between Secs 4 & 5.

In Sec 4.

N 77 E 14.00 At 1200 Foot of Island

S 76 E 11.00

N 82 E 17.00 200 Head of an Island.

N 55 E 10.30 To Post on North Boundary.

S 52 E 2.00

N 84 E 5.00 To Post in E & W line between Secs 3 & 4.

N82E 4 10 To Post in Town line between Secs 3 & 34.

S49E 7 00

Sec 2.

N86E 7 00

N36E 2 10 To Post in Town line North Boundary of Sec 2
Feb. 12th 1830.

Commenced Jan. 20th 1829.

Meanders of an Island in the St. Joseph's River
In Sec 5. Beginning at an Elm tree at the
Point at the Mouth of Elk horn River. Upper side.
Thence N 7 E 2.65 to Island where began Meanders
as follows.

N71E 5 50

N86E 2 00

S74E 1.20

N72E 2.50

N65E 2.87

N46E 3.07

N80W 5.00

N88W 1.67

N77W 1.07

S80W 5.50

S69W 5.50

S25E 1.50

S3W 1.71

S9E 1.55 To the Beginning

Meanders of an Island in Sec 4

Beginning at a Post on the line between Secs 4 & 5
On the North side of St. Joseph's River. Thence
S. 78 E. 14.31. to point on Island, where began
Meanders Thence.

S37E 5 00

S68E 4 50

N83E 2 50

T 37 N. R. 5 E 2nd Mer. Indiana

150 E 7 00

N 84 W 10.00

S 89 W. 5 08 To the beginning

Land gently rolling 4th rate. Timber. Ash.
 Elm. Hickory. Lymn.
 (Said to be Runge's)

Surveyed by.
 E. W. Lytle. D. C.

Comp

I Certify that the foregoing transcripts of the Field Notes
 of Township No 37 North of Range No 5 East of the 2nd
 Meridian in Indiana, has been compared with the
 original notes in this Office, and found to be correct.
 Surveyor General's Office
 Cincinnati Jan 30th 1843.

William Johnston
 Supt. Genl.